## **TEST REQUEST FORM**

KML/QSF/0701 ,Rev.No.01

Review Date- 28/09/2024

	Issue I					Date - 30/09/2024						
	k need to be filled by custmer.											
Krishna Metallurgical Laboratories Pvt Ltd  NABL Accredited Laboratory As Per ISO/IEC  17025:2017  Plot # 353 Pace City VI Sector 37, Gurgaon Haryana 122012. India. Tel: 9540956500 +911244257803  Email: info@krishnametlab.com  Customer Name & Address with billing details*		Date & time of receipt  Party GST No*		Job order if any  contact no for confirmation*								
									Mode of rec	Mode of receipt of sample		
							mode of receipt of sample					
		Payment Terms										
		Custoi	mer Name & Address with bining details									
		7 days	15 days	30 days		45 days						
		Advance	Cash	As per PO								
Contac	t details of purchase/ accounts Dept/ QC*											
Tmmor	tout Instructions, Disease with somet Count	a Dagawintian	and Cuallin	Mankianad C	amula Daga	vintian and Coalling will be						
incorpo	tant Instructions: Please write correct Samplorated in Test Report. Changes in Test Report w			-								
per Tes	t Report.											
S.No*	Sample Description*	Test to be conducted*		Test method*	Scope*	Conformity Requirement*						
					Yes/No	, ,						
	Criterion of Review (for Lab use				5	No						
1	Availability of Test method											
2	Availability of Testing personnel											
3	Availability of Test Equipment											
4	Valid RM/CRM/Reagents											
5	Condition of the Sample											
6	Sample Quantity as per test	Quantity as per test			ent	Insufficient						
7	Method requested by the customer			Appropriate		Inappropriate						
8	Whether all requirements are adequately defined											
9	Returning of tested sample required											
10	Discussion with the party: if any Subcontract											
	rks: The test request is reviewed and samp	ple can/can	not be acc	epted.								
Notes:	This is an internal decument of KNALDL Depreduction	an ar usaga af	any kind wit	haut writtan na	rmissian is no	ahihitad						
1	This is an internal document of KMLPL. Reproduction or usage of any kind without written permission is prohibited.  The decision rule will be applicable while giving statement of conformity until and unless it is inherent in the requested specification or											
2	standard.											
3	Any Deviation from the Contract will be informed to the customer.											
4	Amendment of the contract, if any after commence	ement of the t	est work will	be communicate	ed to concerr	ned Personnel.						
			on behalf of Krishna Metallurgical Laboratories P Ltd.									
		Verified and	d entered by:									

Name & Signature of customer \*